





Napolic Ivory 600x600

NAPOLIC

A mix of concrete look hues and a raw industrial complexion are finely assorted within the spirit of this range. Napolic embodies the essence of a sophisticated industrial look.

Technical Information

SIZE	MATERIAL	THICKNESS	EDGE	INDICATION FOR USE	PRINT FACES	MODULUS OF RUPTURE	SURFACE FLATNESS	WATER ABSORPTION
ALL	PORCELAIN	9	RECTIFIED	FLOOR/WALL	4-6	38-41	-0.5~+0.7	0.9-1.5

NAPOLIC



NAPOLIC IVORY 600X600
NAPIVO6060M - NAPOLIC IVORY MATT



NAPOLIC TUSK 600X600
NAPTUS6060M - NAPOLIC TUSK MATT



NAPOLIC IVORY 300X600
NAPIVO3060M - NAPOLIC IVORY MATT



NAPOLIC TUSK 300X600
NAPTUS3060M - NAPOLIC TUSK MATT



NAPOLIC IVORY 300X300
NAPIVO3030M - NAPOLIC IVORY MATT



NAPOLIC TUSK 300X300
NAPTUS3030M - NAPOLIC TUSK MATT

ICONS

Finish

This describes the type of tile surface finish applicable to the slip rating icon

	GLOSS Shiny surface
	LAPPATO Partial shiny surface
	MATT Smooth, non-reflective
	NATURAL Textured surface
	ALFRESCO Slightly textured
	EXTERNAL Slip-resistant

Slip Rating

The below explanations are based on the level of risk potentially involved

	VERY HIGH Internal
	HIGH Internal & covered external
	MODERATE Internal & covered external
	LOW External suitable
	VERY LOW External suitable

Colour and Pattern Variation

This gives an indicator of the level of print variation to expect with a tile range

	UNIFORM APPEARANCE Minimal variation
	SLIGHT VARIATION Pattern with similarities
	MODERATE VARIATION Significant variation
	HIGH VARIATION Random & extreme variation

Colours and patterns of visual examples could vary from final product as screen and print settings could effect display.



ELITE IMPORTERS PTY LTD | ABN 72 611 769 674
02 9725 3079 | orders@eliteimporters.com | www.eliteimporters.com | Unit 1A, 3-5 Wrightland Place, Arndell Park NSW 2148

ELITE |   
importers | *follow us*